



Postal Registration No. N.E.-771/2006-2008

THE GAZETTE OF MEGHALAYA

PUBLISHED BY AUTHORITY

No. 37 Shillong, Thursday, September 13, 2007, 22nd Bhadra, 1929 (S.E.)

Separate paging is given on this part in order that it may be filed as a separate compilation.

PART - IX

Advertisements and Notices by Government Offices and Public Service

NOTICES

STANDARD FORM OF APPLICATION

Photo

Dated, _____

To

The _____

Sir,

I beg to apply for the post of _____ and furnish the facts/as below in case of any false statement I am liable to any action Government may deem fit and proper. A Treasury Challan of Rs. _____ vide T. V. No. _____ is attached herewith.

Signature of Applicant

1. Full name in capital letters with address; if any; Surname first
(Please do not use any initials)

Surname

2. Date of Birth :

Year Month Date

3. Place of Birth :

Village/Town Police Station District State

4. Father's/Mother's and Husband's (in case of married female)
(Please do not use initials).

5. Personal description :

A. Height

_____ M _____ Cm.

B. Colour of Eyes

C. Colour of Hair :

D. Visible distinguishing marks (if any)

6. A. Permanent Address in full.

B. Present Address in full.

C. If you have not resided at the above address continuously for the last four years. Please give the other address where you have resided during the period.

From :

To :

Address :

7. References :—

Name and address of two responsible persons in your localities who would be prepared to vouch for you.

A.

B.

8. Are you citizen of India? If so, how? (Copy of Citizenship Certificates should be enclosed where necessary).

9. Educational and other qualifications (Please attach copies of Certificates, Mark Sheets etc.)

Sl. No.	Name of Institution and Address	Date of entering	Date of leaving	Examination passed	Division	Subject taken
1.	2	3	4	5	6	7

1.

2.

3.

4.

5.

6.

10. Community :

(a) State your religion :
Scheduled Tribe?
Particulars supported

(b) Are you a member of Scheduled Caste/
Answer "Yes" or "No". If "Yes" give particulars by a Certificate (Copy to be enclosed).

11. Present occupation, if any :

12. Previous appointment held, if any :

13. Are you a temporary/retrenched personnel of temporary Department of the Government of Meghalaya, Answer "Yes" or "No" (If "yes" give particulars).

14. Are you trained in or a member of the National Cadet Corps or Territorial Army? If so, give particulars.

15. Are you married or unmarried?

Signature.

Note : Particulars are to be filled in below the column in the space provided.

Shillong the 28th August, 2007.

No.MFS/S-CX/Col.1/07-08/92/4724.—Sealed Tender affixing non-refundable Court Fee Stamp of Rs. 400/- (Rupees four hundred) only are invited for entering into rate contract for supply of Fire-Fighting Equipments for Meghalaya Fire & Emergency Service during the Financial year 2007-08 from genuine Manufacturers, Authorised Agents and reputed registered Dealers. Sealed Tenders accompanied with sealed samples will be received upto 1300 Hrs. on 28th September, 2007 in the office of the undersigned. These will be opened on the same day at 1500 hours by a Tender opening Committee. Tenderers or their authorised representatives are invited at the time of opening the Tenders. Tenders and samples received after 1300 hours on 28th September, 2007 by hand or by post will be summarily rejected.

1. Tenders must be accompanied by the following :-

- a. Affix. non-refundable Court Fee Stamp of Rs 400/- (Rupees four hundred) only,
- b. Earnest Money of Rs. 48,200/- (Rupees forty eight thousand two hundred) only. In any of the following form :-
 - (i) Crossed Bank Draft
 - (ii) Deposit at Call
 - (iii) Fixed Deposit
 - (iv) NSC/KVP

Pledged in favour of the Director General & Inspector General of Police, Meghalaya, Shillong from any Nationalised bank at Shillong.

For Tenderers belonging to Scheduled Tribes/Castes only 50% (fifty percent) of the Earnest Money mentioned above may be deposited, Earnest Money and papers available in the office in connection with any earlier Tenders/Supplies will not be considered as valid Earnest Money for this Tender.

- c. Attested copy of V.A.T. certificate and V.A.T. registration.
- d. Financial stability certificate from a Scheduled Bank certifying that the Tenderer is financially sound to undertake the contract.
- e. Attested copy Scheduled Tribes/Castes certificate in case of ST/SC tenderers.
- f. Attested copy Valid Sales Tax and Income Tax Clearance Certificate.
- g. Attested copy of valid Trading Licence in terms of the United Khasi & Jaintia Hills and Garo Hills (Trading by Non-Tribals) Regulation, 1954 for tenderers as amended from time to time who are required to obtain such a licence.
- h. Authenticated copy of authorised dealership Certificate from the Manufacturers or Principal who has authorised dealers.
- i. Authenticated copies of company's price list.
- j. Authenticated copy of rate contract with D.G.S.& D. If the Tenderer or Principals have existing and valid rate contract with D.G.S. & D.
- k. Attested copy Passport size photograph of the Tenderers should be attached to the tender. All documents above from Sl. 1 (c) to 1 (j) should be duly attested by a G.O.

2. Rates should be :-

- a. Quoted separately for each item and in words.
- b. Quoted F. O. R. destination, Shillong. Door delivery at Provincial Stores (Fire), Nongthymmai. Shillong.

- c. Inclusive of all charges like custom duty, packing, insurance and other incidental charges, only Value Added Tax may be shown extra, if applicable.
 - d. Written clearly in figures and in words. Any subtraction or overwriting must be fully signed and sealed by the tenderer.
 - e. No enhancement of rate will be allowed once it is agreed to supply the items at the rates accepted by the Department. Failure to supply the items at the accepted rate will entail the offer being cancelled and the Security Money forfeited to the Govt. of Meghalaya.
3. Tenders should be addressed the undersigned by designation and not by name. The words "Tender for supply of the Fire Fighting Equipments" must be super-scribed on the sealed envelope containing the Tender. The Tender should be sent by registered post or delivered by hand.
4. Successful Tenderer/tenderers will :-
 - (i) Intimated by a letter of acceptance, till then, no tenderer has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderers in anticipation of acceptance letter.
 - (ii) Required to furnish a security deposit at the rates mentioned below and execute a contract agreement to ensure fulfillment of the terms and conditions of the N. I. T. and contract agreement, which the successful tenderer(s) will have to enter into. Security Deposit will be subjected to forfeiture in case of non-fulfillment of any or all terms and conditions of the Contract Agreement. The Earnest Money of the successful tenderer(s) will not be released till they furnished the full security deposit. Earnest Money of the successful tenderer(s) will be forfeited to the Government in case of failure to furnish the security deposit in full.
5. Rate of Security Deposit :-

For contract upto Rs. 10,000/- 2% from locals and 3% from non-locals.

For contract upto Rs. 50,000/- 3% from locals and 4% from non-locals.

For contract over Rs. 50,000/- 10% of the total amount.

Schedule Caste/Tribes may deposit only 50% of the Security Deposit mentioned above.
6. The undersigned may rescind forthwith the contract in writing if,
 - (a) A Tenderer assigns or sublets any contract in respect of the contract or any other contract entered into with the Govt.
 - (b) Tenderer or his agent servant are found guilty of fraud in respect of this contract or any other contract.
 - (c) Declines, neglects or delays to comply with the demand/requisition or in any other way fails to perform or observe any or all the conditions of the contract agreement.

In case of such rescission the security deposit in full shall stand forfeited and absolutely be at the disposal of the Govt. without prejudice to any other remedy or action that the Govt. shall be entitle to take to recover from the successful tenderer(s) any extra expenses Govt. may deem necessary in obtaining the supplies from elsewhere.
7. In the event of the successful tenderer(s) failing to perform his/her part of any or all the conditions of the Contract to the satisfaction of the department or disregarding any terms and conditions of this tender notice or the Contract agreement, the successful tenderer(s) will be liable to any or all of the following actions at the discretion of the Superintendent of Police, (F&ES), Meghalaya, Shillong.
 - (i) Forfeiture of the security deposit in whole or part.
 - (ii) Making good the loss caused to the Government through the liabilities, neglect or delay in complying with the demand.

(iii) Cancellation of the contract without any prior notice.

8. If the successful tenderer(s) willfully neglect, fails to perform or observe any or all conditions of the contract agreement or Tender Notice or attempts to cheat or indulge in foul practices, the Deptt. may impose a ban upon such tenderer(s) for future business with the Deptt.
9. Quantities mentioned in the list are only illustrative and may increase/decrease or omitted from the list of items to be purchased or finalization of order depending upon availability of fund and actual requirements.
10. Once the samples are approved no change of brand, shape, patterns, quality or specification will be entertained even on the plea of non-availability of raw material or alternative to the same quality.
11. The stores supplied must be of the same specification, weight and quality as the tendered samples. The successful tenderers will have to furnish the counter samples if required within 2 (two) weeks of receipt of information regarding acceptance of their tender. Failure to submit the counter sample in time as per specification of the approved sample will entail cancellation of the offer and forfeiture of earnest money/ security deposit.
12. Delivery must be completed within 60 (sixty) days from the date of receipt of Firm Order. No extension of delivery period will be entertained.
13. Payment will be made to the supplier directly only on completion of supplies and on correct receipt of the goods by the consignee in good condition. Documents/Vouchers/R.R. bills etc. routed through Banks will not be accepted. Consignment will be dispatched by the Firm after payment of all freight charges at source, R.R. of freight will not be accepted.
14. Risk of transportation will be borne by the successful tenderers themselves.
15. Samples of the items if of standard quality should bear ISI marks, numbers and year of the body of the items clearly.
16. Warranty period of the equipments should be indicated alongwith after Sales Service facilities.
17. Successful non-Tribal tenderer will have to furnish Permanent Account Number (PAN) allotted by the Income Tax Deptt. at the time executing the deed of agreement.
18. A list of all documents that are attached to the tender should be noted on the body of the envelope containing the tender.
19. The undersigned is not bound to accept the lowest rate and reserves to himself the right to reject any or all tenders without prior notice nor assigning any reasons thereof.
20. Samples of the unsuccessful tenderers should be collected by the Firm within 15 (fifteen) days after finalization by the purchase board. The undersigned is not responsible for the safe custody of the samples.
21. Comprehensive literature of items should be submitted.
22. Firm/Supplier/Manufacturer concerned to furnish their E-Mail address/address/contact telephone no. & Fax no. etc.

Enclo :- List.

D. SANGMA,
Superintendent of Police, (F&ES),
Meghalaya, Shillong.

Shillong the 28th August, 2007.

Sealed Tender affixing non-refundable Court Fee Stamp of Rs. 400/- (Rupees four hundred) only are invited for entering into rate contract for supply of Fire Fighting Equipments, for Meghalaya Fire & Emergency Service during the financial year 2007-08 from genuine manufacturers, authorised agents and reputed registered dealers. Sealed Tenders accompanied with sealed samples will be received upto 1300 hours on 28th September, 2007 in the office of the undersigned and will be opened on the same day at 1500 hours. Complete details will be available in the Office of the Superintendent of Police (Fire & Emergency Service), Meghalaya, Shillong, during office hours.

D. SANGMA,
Superintendent of Police, (F&ES),
Meghalaya, Shillong.

LIST OF FIRE-FIGHTING EQUIPMENTS

1. CO2 Fire Extinguisher 2 kg type (As per ISI Mark).
2. RRL Delivery Hose 63mm 2 1/2" dia. 22.5 mtr in length. As per I.S: 903/636/1984.
3. Stretcher (St. John Ambulance).
4. Rubber Hand Gloves tested at 20.000 volt.
5. Life Jacket with self ignition light.
6. Short Branch Pipe (Gun Metal) 1/2" nozzle.
7. Dao (khasi standard).
8. Extension Line 1 1/2" circumference. 75 ft. length (manila).
9. Ceiling Hook with handle 8 ft. in length.
10. Blower & Exhauster (Specification Enclosed).
11. Jumping Bag/Cushion (Specification Enclosed).
12. Long Line 1 1/2" circumference, 100 ft. long (manila).
13. Sledge Hammer 5 kg with handle.
14. B. A. Set (Specification Enclosed).
15. Refill for Soda Acid Extinguisher for 9 (nine) litres capacity. (Acid Cartridge & Sodium Bicarbonate).
16. Refill for Foam Extinguisher for 9 (nine) litres capacity. (Sodium Bicarbonate & Aluminum Sulphate).
17. Suction Wrench (Universal Type).

N.B. :- Samples of Sl. No. 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 15, 16 & 17 and catalog/literature of Sl. No. 10, 11 & 14 should be enclosed/furnished alongwith tenders.

SPECIFICATION OF EQUIPMENTS:**I. BLOWER & EXHAUSTER:-*****SPECIFICATION :-***

The Blower must be designed to protect personnel from hazardous environments by ventilating toxic gases, smoke and heat from burning buildings and rescue scenes. It should be a Positive Pressure Ventilation (PPV) blower. It should be designed so that it can be placed about four to ten feet from the doorway of the structure and positioned so that the cone of air produced by the blower completely seals the opening. Once the doorway is sealed, air pressure inside the structure should build almost instantly. An exhaust opening (a rare door or window) should allow the air to quickly escape due to the difference between the outside and inside air pressure the smoke, fumes and other contaminants should be quickly cleared and replaced with fresh, clean air. The blower's designed should create the "Cone of Air" and pressure required to move air out that is essential for Positive Pressure Ventilation to work:

The blower should be fully imported unit, driven by a HONDA Petrol Engine and should satisfy the following technical parameters:-

- i) Flow Capacity - Atleast 10.000 cfm.
- ii) Engine - Not more than 6 HP petrol driven Honda Make.
- iii) Dimension - Within 20" (width) x 20" (depth) x 25" (height).
- iv) Weight - Not more than 35 kgs.
- v) Fan - Maximum 16" dia.
- vi) Engine Exhaust Ducting - The blower should have an exhaust extension for reducing the amount of exhaust and Carbon Monoxide introduced during Positive Pressure Ventilation operations. The hose should be 10 ft. long and made of durable Polyethylene that can withstand temperatures from 20 degree centigrade to 375 degree centigrade.

2. JUMPING BAG/CUSHION :-***SPECIFICATION :-***

The cushion should be rectangular in shape. Its surface should be smooth and clean with even colours but with no obvious traces and crease with obvious mark on the upper surface and direct mark of height when filled with gas. Choosing three skeins of 43s polyamide fibre threads to sew orderly with no crease at the hems and the edges of its open mouth should be wrapped and fixed with lining. At the double threads sewing areas there should be at least 7 stitches between every 3 cms. The cushion should support rescue jump from a height of 20 m.

At the highest jump the cushion must support 50 times of freely falling body shock by 75 kg standard load without damage, cracks and other abnormal phenomena after the shock. It should not touch or shoot the ground directly. Inflation time should be less than equal to 80 seconds. The weight of the system should be not exceed 95 kgs.

The cushion should have the following features:-

- 1) Not heavy, can be removed by 2-4 people.
- 2) Can fill gas quickly.
- 3) Feel soft when jumping from high distance.
- 4) The interval time between two rescues should be short. Approximately 1 minute. After shock of 75 Kg standard load, when unloaded it should come back to original height in 15 seconds.

Specification and technology data

1. The cushion should be complete with the following components: gas post, cylinder, pressure reducer, vent valve, pressure gauge, inflate linker.
2. Technology data of cushion

Length (m)	Width (m)	Height (m)	Rescue height (m)	Inflate time	Weight (kg)
6	6	2.3	20	< 80	< 95

3. The technology data of cylinder should be as follows:

TERM	SIZE
Volume (l)	9L *2
Pressure (MPa)	26 - 28
Bottle whorl size	M22* 1.5

Certification: The Tenderer should submit Test Certificate from bonafide Testing Center in support of the standards mentioned above.

3. BREATHING APPARATUS SET (B. A. SET)

SPECIFICATION :-

Self contained Breathing Apparatus Set (Compressed Air) with two stage positive pressure reducing valve, first breath mechanism quick lock bayonet connection. Demand Valve, non-dermatic neoprene low profile pana seal full face mask, ergonomically designed tubular padded back plate, rubber shrouded pressure gauge with warning whistle for 45 minutes duration with various other optional arrangement.

BACK PLATE:- Light weight composite back plate, fail safe spring ladder piston reducer, luminous pressure gauge with warning whistle, non-dermatic silicon full vision face mask, Auto positive. Demand valve with hands free by pass facility & fail safe servo mechanism with various other optional arrangement.

CYLINDER/TANK:- The cylinder/tank should have a water capacity of 10 ltrs and made of chromium molybdenum steel alloy designed to operate at 200 bar. The tank/cylinder should be phosphatised inside and galvanised and painted outside to insure durability. All valves should be approved for bracket mounted regulators. The tank should be supplied with back plate with adjustable re-enforce soft rubber, shoulder straps, quick release buckles, tank harness that can be adjusted to hold tanks with 10 ltrs. capacity and with non-slip internal support.

PRESSURE GAUGE : The pressure gauge instrument should come with luminous dial and the emergency reserve area should be highlighted. The gauge should have a rotating hose and housing. It should be encased in soft shockproof heat resistant rubber.

FACE MASK :- The face mask should be a single lense mask that ensure excellent luminosity and visibility. It should be made of shock proof polycarbonate and transparent silicon and should be able to cover the full face of the user. The buckles should be rapid adjustable type.

Certification:- The Tenderer should submit Test Certificate from bonafide Testing Center in support of the standards mentioned above.

Shillong, the 28th August, 2007.

No.MFS/S-CX/Vol.I/2007-08/91/4736.—Sealed Tenders are invited for entering into rate contract for the fabrication of Mini Water Tender Pump and Emergency Rescue Tender on TATA Chassis Model SFC 709/38 Cowl Chassis as per specification in Annexure 'A' and 'B' during the year 2007-2008 from Fabricators / Authorised Agents and reputed firms. The Sealed Tenders will be received upto 1300 hours on 28th September, 2007 and will be opened on the same day at 1500 hours by a Tender opening Committee in the office of the Superintendent of Police (F&ES), Meghalaya, Shillong. Tenderers or their authorized representatives may attend if they wish to do so at the time of opening the tenders. Tenders received after 1300 hours of 28th September, 2007 by hand or by post will be summarily rejected.

1. Tenders must be accompanied by the following: -

- a. Non-refundable Court Fee Stamp of Rs. 1000/- (Rupees one thousand) only.
- b. Earnest Money of Rs. 84,980/- (Rupees eighty four thousand nine hundred eighty) only pledged in favour of the Director General and Inspector General of Police, Meghalaya, Shillong from any Nationalised Bank or General Post Office at Shillong in any of the following form:-
 - (i) Crossed Bank Draft.
 - (ii) Deposit at Call.
 - (iii) Fixed Deposit.
 - (iv) NSC/KVP.

Tenderers belonging to Schedule Castes and Scheduled Tribes may deposit 50% of the earnest money mentioned above.
- c.
 - (i) SC/ST Certificate.
 - (ii) Attested copy of Valid and current Sales Tax Clearance Certificate from Superintendent of Taxes, Meghalaya.
 - (iii) Attested copy of Registration Certificate with list of items registered with Superintendent of Taxes, Meghalaya.
 - (iv) Attested copy of Current Professional Tax Clearance Certificate.
 - (v) Attested copy of V.A.T. Certificate and V.A.T. Registration.
 - (vi) Attested photograph of the tenderer.
 - (vii) Financial Stability Certificate from Scheduled Bank duly attested.
 - (viii) Dealership Certificate from Principal or manufacturer, if the firm is intending to do the fabrication through any Principal except those who have already undertaken the fabrication works should furnish experience certificate for fabrication. The Registration Certificate in respect of such works including all details of the Principal is also to be submitted by the tenderer.
 - (ix) The tenderer's or his Principal's experience in such fabrication work, as the case may be, of previous years with supporting documents.
 - (x) Where the tenderer or his principal have any existing and valid rate contract with DGS & D, an authenticated copy of such rate contract.
 - (xi) Fabricators who are required to obtain trading licence in terms of United Khasi Hills, Jaintia Hills and Garo Hills Districts (Trading by Non-Tribal Regulation, 1954) as amended from time to time must produce an attested copy of such valid licence.

2. Rates: -
 - a. Should be quoted for each item and in words.
 - b. Should be quoted F. O. R. destination i. e. Superintendent of Police, (F&ES) Meghalaya, Shillong. Provincial Stores (Fire Service), Nongthymmai, Shillong or as directed by the Department.
 - c. Should be inclusive of all charges insurance and other incidental charges, only Local Tax may be shown extra, if applicable.
 - d. Should be written clearly in figures and in words. Any alteration or overwriting must be fully signed and sealed by the tenderer himself/herself.
3. The rate should be tendered for the complete item of work including all accessories. equipments as per specification at Annexure 'A' and 'B'.
4. Tenders must be addressed to the undersigned by designation and not by name. On the sealed envelope containing the tender, the words "Tender for Fabrication of Water Tender Pump" should be superscribed.
5. Tenders must be sent by registered cover or hand delivered.
6. Risk of transportation of the Mini WTPs and Form Tender will be borne by the tenderer themselves after fabrication.
7. Tenderers must be prepared to accept item-wise rate, if offered by the department, otherwise their earnest money will be forfeited.
8. The successful tenderer/tenderers will :-
 - (i) be intimated by a letter of acceptance by the office of the Superintendent of Police (F & ES), Meghalaya, Shillong. Till then, no tenderer has any right to assume that his/her tender has been accepted. There shall be no claim whatsoever for compensation for any expenditure incurred by any tenderer in anticipation of acceptance letter.
 - (ii) be required to furnish a security deposit as per rates mentioned below and execute a contract agreement to ensure fulfillment of the terms and conditions of the contract which the successful tenderer(s) will have to enter into. Such security deposit will be subjected to forfeiture in case of non-fulfillment of any or all terms and conditions or the Contract Agreement and the N.I.T.
 - (iii) The earnest money of the successful tenderer(s) will not be released till he/she has furnished the full security deposit.
 - (iv) Earnest Money of the successful tenderer(s) will be forfeited to the Government in case of failure to furnish the security deposit in full.
 - (v) Rate of security deposit is 10% of the work value for all.
 - (vi) Furnish an Indemnity Bond on appropriate stamp paper and a comprehensive insurance cover for the entire cost and safe custody of the chassis until water tender pumps are fabricated and delivered to the department.
 - (vii) Furnish a Guarantee against defective materials or inadequate design or workmanship for a period of eighteen months from the date of delivery of fabricated vehicles.
 - (viii) Security Deposit shall be released only after expiry of the guarantee period.
 - (ix) Once the rates offered in the tender are accepted, no enhancement of rates will be allowed under any circumstances and the tenderer (s) will be liable to fabricate at the rates accepted by the Superintendent of Police, (F&ES), Meghalaya, Shillong. Failure to fabricate at the accepted rates will entail the offer being cancelled and the security money forfeited to the Government of Meghalaya.

9. Fabrication must be of the same specifications and quality as offered in the tender.
10. Delivery must be completed within ninety days from the receipt of the firm order and chassis. No extension of delivery period will be entertained.
11. Payment will be made to the successful tenderer/tenderers directly only on the completion of fabrication and on full and correct receipt of the vehicles by the department in good working conditions. Documents/ Vouchers/R.R. Bills etc. routed through Banks will not be accepted.
12. In the event of the successful tenderer/tenderers fail to perform his/her part of the Contract to the satisfaction of the department or disregarding any terms and conditions of this tender notice or the Contract agreement, the successful tenderer/tenderers will be liable to any or all of the following actions at the discretion of the Superintendent of Police (F&ES) Meghalaya, Shillong.
 - (i) Forfeiture of the security deposit.
 - (ii) Making good the loss caused to the Government through the liabilities, neglect or delay in complying with the demand.
 - (iii) Cancellation of the contract without any prior notice.
13. All losses sustained by the Department/Government due to failure, omission or neglect of the successful tenderer(s) will be realized from his or her security deposit and if the recovery from the security deposit is not sufficient the successful tenderers shall be liable to pay the compensation as shall be fixed by the Department/Government accordingly.
14. In the event of rejection, failing, declining, neglecting or delaying to comply with any demand or requisition, the undersigned shall be at liberty without prejudice to any other remedy the department may have on account of any claim for compensation against loss and inconvenience caused by such breach, to order purchase at the expense of the successful tenderer(s) such supply as may have been rejected, or failed, neglected or delayed to supply or any excess cost incurred over the accepted rates. The successful tenderer(s) shall be liable to pay such compensation to the Government in full.
15. The undersigned may rescind forthwith the contract in writing if successful tenderer/tenderers.
 - (i) assigns or sublets the contract without his approval in respect of the contract or any other contract entered into with the Government.
 - (ii) his agent or servant are guilty of fraud in respect of this contract or any other contract with the Department of Government.
 - (iii) declines, neglects or delays to comply with the demand or requisition or in any other way fails to perform and/or observe any condition of the contract.
16. Chassis will be supplied by this department to the successful tenderer/tenderers at the fabrication site.
17. The undersigned reserves to himself the right not to accept the lowest rate and to reject any or all tenderers without notice nor assigning any reasons thereof.

Enclo :- Specification.

D. SANGMA,
Superintendent of Police (F&ES),
Meghalaya, Shillong.

ANNEXURE - 'A'**Specification of Water Tender Pump Type 'B' as per (IS-950/1980)**

- GENERAL :-** The Vehicle consists of water tender with a rear mounted Fire Pump of 1350 litres per minute capacity at 7 Kg/cm (400 G.P.M. at 100 Psi) alongwith other equipments.
- CHASSIS :-** The Chassis will be supplied by the department.
- WATER TANK :-**
1. The Water Tank shall have an elliptical shape with a capacity of :-
 - (a) 3500 litres to be fabricated on 1 (one) No TATA Chassis Model SFC 709/38 Cowl Chassis.
 2. The Water Tank should be suitably mounted on at a safe place and also at such a place so as to allow the full contents of the tank into the pump.
 3. It should be suitably baffled and its shape and mounting shall be so as to bring the center of gravity as low as conveniently possible.
 4. It should be fitted with an inspection manhole and cover on top and cleaning hole of 25 mm in dia with a cover at the base.
 5. It should have proper filling and over flow pipe which shall not be less than 50 mm in dia which shall terminate in an accessible position under the appliance and be fitted with delivery hose connection of 63 mm dia to permit the coupling of a length of hose when required to carry away surplus water. The filling pipe shall have proper strainer and delivery hose connection.
 6. All pipes shall be reasonably accessible for maintenance purpose.
 7. A draining cock shall be provided at the bottom of the tank. It shall be fitted and placed at such a place for trouble free easy operation.
 8. The water tank shall be fabricated with mild steel plate. The thickness of the plate for the entire water tank, including baffle, shall not be less than 10 gauge.
 9. The tank should be connected with a pump, and a suitably placed center control valve be fitted in such a way that any of the following operation are possible.
 - a. Hydrant to Tank.
 - b. Tank to pump.
 - c. Hydrant to pump
 - d. Off.

Both sides of the roof near the Water Tank should be covered by chequered alluminium sheet of 10 gauge.
 10. Two hooking arrangement one in front and the other in the rear of the top of the water tank should be provided the tank to lift it out of the chassis whenever required for repairs etc.
- PUMP :-**
1. The Pump shall be of centrifugal type capable of delivering 1350 l. PM at 7 Kg/cm²/100 Psi pressure and so designed as to afford easy access to the impeller.
 2. It should be of double stage and as light as possible.
 3. The Pump shaft shall be made of stainless steel and shall be carried in antifriction bearings external of the casing.

4. The impeler rings shall be removable type and manufactured from high quality bronze.
5. The gland shall be self adjustable type.
6. A drain plug shall be provided.
7. The suction inlet shall be provided with a standard 100 mm suction hose connection with internal strainer and blank cap.
8. The strainer shall be readily removable, but retained firmly in the position when in use.
9. There shall be not less than two delivery valves having 63 mm instantaneous female couplings with quick release check valves with a standard hose connection.
10. Pump side works should be finished by Alluminium chequered sheets.

PRIMER :- A reciprocating two stage type of primer capable of lifting water at the rate of one feet per second from a depth of 24 feet having positive displacement twin position air pump shall be provided.

POWER TAKE OFF :- Full torque drive link take off shall be provided to ensure high efficiency SYALL make P.T.O. to be provided.

COOLING SYSTEM:- It shall be indirect open circuit type through a heat exchanger coil.

CONTROL PANEL :- Apart from the driver's dashboard control panel there should be an illuminated control panel near the delivery and suction side of the pump. The following shall be provided.

- a. Throttle control.
- b. Compound gauge vacuum 0.75 cm.
- c. Primer control.
- d. Five way control valve.
- e. Pressure gauge (pressure calibrated from 0 to 17.5 Kg per cm²/ 0 to 250 Psi)
- f. Water level indicator
- g. A bell push for a bell in the driver's cabin.
- h. A bell in the driver's cabin.

TOWING :- Towing arrangement at the rear shall be provided for Towing Trailer Pump.

ARRANGEMENT :- Drag Hooks on the front of the vehicle to tow or pull heavy objects by the vehicle.

- BODY WORKS :-**
1. Cabin for 6 (six) person including driver should be provided. Driver's seat should be adjustable and others fixed. Seats should be provided rubber foam cushion and covered with best quality raxin.
 2. Body frame shall be made of MS angles properly painted with anti-rust paint and flats with aluminum 20 gauge paneling with insulation for ceiling noise.
 3. Cab door should have safety glasses. Grab rails and non-slip steps to be provided where necessary. Provision of steps as required to enter into the cabin should be made and one hanging rail with three holders should be provided inside the cabin. There shall be lighting arrangements in cabin.

LOCKERS :-

1. 2 (two) lockers, 1 (one) on each side of the body shall be provided for storage of the fire fighting equipments. The size of the lockers should be as follows: -

(i) On TATA Chassis SFC 709/38, 3500 ltrs capacity, inside measurements:

Horizontal length - 10 (ten) feet


Height - 20 (twenty) inches.

Depth - 20 (twenty) inches.

Each locker should be provided with 3 (three) doors of equal sizes. There shall be no partition inside this locker.

ii) Two separate storage lockers for storing of 4 (four) lengths of 10 feet length suction hose on top of the three lockers on either side with access from the rear of the tanker. The floor of the storage locker should be fitted with rollers so that the suction hose can be easily taken out or placed inside.

The position of the lockers on the tanker is as shown in the diagram below :-



2 (two) lockers, on each side of 9" length horizontally for 3500 litres tanker and 10" height for tankers. 3 doors to open from bottom up. Each door size width - 3 ft, height 20". 1 (one) collapsible bracket to hold up the door to be fitted in each of the 3 doors. There shall be no partition in the lockers.

Side View of the Tanker

2. The floor of all the lockers should be with 14 gauge aluminium chequered sheet.
3. The partition between the lockers and the water tank should be of 1 (one) mm gauge 1" wire netting.
4. Locker doors shall be fitted with good spring loaded lock.
5. Lighting arrangements shall be provided in the lockers along with indicator lights at driver's panel to indicate proper locking of doors. A master switch for isolating the lighting circuit shall be provided. The proper locking arrangement is also to be made on the fuel tank.

LADDER GALLOWS AND EXTENSION LADDER :-	To be provided to carry 7.5 metres alluminium extension ladder. The ladder is also to be supplied with the applicable.		
WORKMANSHIP :-	All parts of the appliance shall be of good workmanship and finish. Railing and handles etc., shall be of chromium plating. The appliance shall be painted in Fire Red Post Office Colour with service letters on both sides of "MEGHALAYA FIRE & EMERGENCY SERVICE".		
TOOL AND EQUIPMENTS :-	The following shall be supplied with the fire appliance :-		
Equipments:	a) Suction Hose 4" dia X 10 ft. length fitted with threaded couplings.	-	3 lengths.
	b) Metal strainer	-	1 No.
	c) Basket stainer	-	1 No.
	d) Suction wrench	-	1 pair.
Tools for running repairs:	a) D.E. spanners, 6 mm to 26 mm	-	1 (one) set of 12 pieces.
	b) Screw drivers 12"	-	1 No.
	c) Combination pliers 8"	-	1 No.
	d) Slide wrench 12"	-	1 No.
ACCESSORIES :-	The following shall be supplied/fitted suitably in the appliance over and above the item mentioned herein above.		
	a) Fire Bell (250 mm) fitted in the side of the drivers cab	-	1 No.
	b) Electrick siren (Heavy Duty 'KHERAJ' MAKE)	-	1 No.
	c) Powerful fog lamps fitted with 55 watts Halogen bulbs	-	2 Nos.
	d) Powerful reversing light with 25 watts Halogen bulb	-	1 No.
	e) Revolving amber coloured blinker lights (like VIP lights) mounted on each side on top of the driver's cabin.	-	2 Nos.
	f) Inspection lamp	-	1 No.
	g) Portable powerful spot light/search light with extension cord of 30 mtr. length and plug at one end.	-	1 No.
	h) Plug socket for the portable spot light.		
INSTRUCTION BOOK:	An Instruction Book containing both operating and maintenance procedure shall be supplied. Full-illustrated spare parts catalogue for the pump shall also be supplied with the unit.		

ANNEXURE-'B'

Specification of Emergency Rescue Tender as per (IS:949 - 1985).

The Appliance shall be designed to carry the equipment listed in Appendix-'A' (enclosed). The equipment shall be arranged on a manner so as to allow the crew members to get ready in vehicle itself.

MATERIAL SELECTION AND TREATMENT:-

The materials to be used in the construction of the appliance shall be made with a view to combining lightness with strength and durability. All metal parts exposed to atmosphere shall either be of corrosion resisting materials or treated to resist corrosion. Timber shall not be used at any cost in body construction.

DESIGN AND CONSTRUCTION:-

(i) Electrical System :- A heavy duty Alternator/Generator shall be fitted to the engine to supply the vehicle 12 or 24 V DC electrical system. The Alternator/Generator shall be fitted with the necessary control unit.

(ii) All important electrical circuits shall have separate fuses suitably indicated and grouped into a common fuse box which shall be located in an accessible position. Provision shall be made to carry spare fuses in this box.

(iii) Alternator Unit:- A 230 V 50 Cycle alternator with its independent engine shall be provided. The alternator shall be screen protected, continuously rated self regulating, self excited Class E insulation type having an output of not less than 5 KV A at 0.8 power factor. 220 V Single phase 50 Cycles.

(iv) A Trickle Charger shall be fitted in the cabin and it shall be fitted with socket for connection to 230 V AC supply. A red pilot lamp to indicate when the battery is being charged from an external supply shall be provided.

(v) The alternator shall be equipped with a direct coupled flange mounted exciter which shall automatically keep the alternator voltage constant and provided and approximately straight line voltage characteristic within 5% at all loads. and at any preset factor between O.S, and unity.

(vi) Two cable reels each with 30m cable shall be provided. The cable shall be a 3 core flexible cords 250 V grade having a conductor of cross section 4 millimeter square (128/0.20 mm) conforming to IS:434 (Part-I) 1964 or IS:694 - 1977.

(vii) Control shall be mounted near the generator and shall consist of the following:-

a. Hand Control Throttle.

b. Engine cooling water temperature gauge.

c. Ammeter.

d. Volt meter.

e. 14 Amp. Single phase 3 pin plug, with switch - 2 points and 30 Amp. Single phase 3 pin plug with switch - 2 points.

BODY WORKS :-

Cabin for 6 (six) person including driver should be provided. Driver's seat should be adjustable and others fixed. The design of the Cabin shall be such that it shall afford maximum possible vision for the Crew and shall ensure adequate ventilation to avoid discomfort to Crew under topical conditions. Adequate lighting shall be provided in the Driver's Cabin and in the interior of the appliances. Doors shall be provided on both sides of the appliances, giving ready access to Driver and Crew where necessary, non slip steps and Grab rail handle shall be provided for mounting and dismounting of the Crew speedily. The Drivers seat shall be adjustable and the

seal for Officer-in-Charge and Crew members shall be fixed type. All glasses fitted in the window shall be safety glasses. The construction of the cab roof shall be such that it shall support the weight of one man without damage. Dual Sun Visors and long ann outside fitting type Rear view mirror shall be fitted to the Cabin. An illuminated FIRE sign shall also be fitted to the outer centre front of the Cab.

LOCKERS :-

Lockers shall be provided for provision of all equipments as mentioned in Appendix 'A'. The doors of the side lockers shall not be hinged at bottom. The height of the lockers from the bottom to the top of the opening shall be not less than 600 mm and the depth not less than 600 mm.

All lockers shall be fitted with internal lighting which shall be capable or being automatically switched 'ON' and 'OFF' by the opening and closing of the doors or lids. A master switch for isolating the locker lighting circuit shall also be provided. Grab Rails and non slip steps shall be provided to give access to the roof of the appliance and for easy and speedy removal and mounting of ladders. A 10.5 m Aluminium extension ladder shall be mounted on suitable gallows fitted with rollers and designed to facilitate easy and quick removal of the ladder from the rear of the appliances. The head lock on the gallows shall be positive in action. No equipment shall be so positioned as to interfere with the easy and independent removal of the extension ladder. In addition, two stretcher ladders shall be mounted separately on the appliance in such a way that they would be easily, quickly and independently removed, when required. The specification of the Stretcher ladder shall be as follows:-

STRETCHER LADDER:-

Main ladder section shall be manufactured from aluminium alloy and shall have following requirement :-

- Overall length - not less than 2.0 m.
- Overall width - not less than 600 mm.
- Center of rungs - 210 mm. approximately.

STABILITY:-

The stability of the appliance shall be such that when under fully equipped and loaded conditions (excluding crew) if the surface on which the appliance stands is fitted to either side, the point at which over turning occurs is not passed at an angle of $27\frac{1}{2}$ degree from the horizontal.

WORKMANSHIP AND FINISH:-

The standard of workmanship and finish of all mechanical and other parts shall be such that the parts normally required to be replaced can be supplied and will fit in correctly. The appliance shall be painted fire red colour conforming to shade No 536 of IS: 5/1978. The paint shall conform to IS: 2932-1974. Lockers shall be finished in shadow board painting or replica of items to show the position of each piece of equipment. All other parts except engine should be painted black. Necessary anti corrosion and priming coats shall be applied before painting. Painting and phosphating of the Chassis shall be carried out to withstand the climatic condition in the Tropics. The Driver's Cabin inside the Vehicle and inside lockers shall be painted in Cream colour. The appliance shall be painted in Fire Red post office colour with service letters on both sides "MEGHALAYA FIRE & EMERGENCY SERVICE".

INSTRUCTION BOOK AND ACCESSORIES:-

1. Instruction book for the guidance of the user, including both operating and normal maintenance procedures shall be provided. The book shall include an itemized and illustrated spare parts list giving reference to all the wearing parts.

Accessories:-The following accessories shall be provided in addition to those normally fitted on the Chassis.

- a. One 250 mm dia bell shall be mounted externally. It can be operated from inside the Drivers Cabin.
- b. Fog Lamp :- 2 (two) low mounted in front of Appliances.
- c. Reversing Light:- One suitably situated to assist reversing.
- d. Revolving beacon light:- 2 (two) nos. of red color revolving light and shall be capable of throwing revolving beams of light round 360 degree with beams in inclined upward, horizontally and downwards. These shall be mounted on the cab roof and second on roof at rear and shall be operated from the vehicle battery.
- e. Tools:- All tools required for normal routine maintenance of the appliance, which are not included in the kit of the Chassis.
- f. Search light:- 2 (two) adjustable search light to give flood or beam light and shall be mounted in convenient position on the appliance but at the same time shall be capable of being readily removed and mounted on Tripod away from the appliance. These shall each be supplied complete with Tripod and not less than 30 m of TRS Cable on reel mounted on the appliance.
- g. Spot light:- 2 (two) spot light adjustable and shall be mounted in convenient position on the roof of the appliance.
- h. Electric siren (Heavy Duty 'KHERAJ' MAKE). 1 (one) no. shall be provided.
- i. Marking:- Each appliance shall be clearly and permanently marked with the following information:-
 - a. Manufacturers name or Trade Mark if any.
 - b. Year of Manufacture.

APPENDIX 'A'

1.	Combi Tools	-	1 (one) set.
2.	Demolition Hammer	-	2 (two) set.
3.	Power Saw	-	1 (one) set.
4.	B. A. Set with Cylinder	-	3 (three) set.
5.	Aluminized Suit	-	2 (two) sets.
6.	Diving Suit	-	2 (two) sets.
7.	Life Jacket	-	4 (four) nos.
8.	Generator	-	1 (one) no
9.	Nylon Rope	-	3 (three) nos.
10.	Coir Rope	-	2 (two) nos.
11.	Stretcher	-	2 (two) no.
12.	Ceiling Hook	-	4 (four) nos.
13.	Crow Bar	-	4 (four) nos.
14.	Shovel	-	4 (four) nos.
15.	Pick Axe	-	2 (two) nos.
16.	Spade	-	2 (two) nos.
17.	Rubber Hand Gloves	-	2 (two) pair.
18.	Mini Grinder Machine	-	1 (one) no.
19.	Emergency Light	-	1 (one) no.
20.	Emergency Inflatable Light	-	1 (one) no.
21.	Bolt Cutter	-	3 (three) nos.
22.	Steel Shod Lever	-	2 (two) nos.
23.	Rescue Saw Kit	-	1 (one) set.
24.	Extension Tube - 2.54 mm	-	3 (three) nos.
25.	Power Saw Kit	-	1 (one) no.
26.	Ram Extension Series/Splitter	-	1 (one) no.
27.	Chain Saw	-	1 (one) no.
28.	Blower & Exhauster	-	1 (one) no.
29.	Jumping Bag/Cushion	-	1 (one) no.
30.	Pneumatic High Pressure Lifting Bag	-	1 (one) no.

Nongpoh, the 29th August, 2007

SHORT TENDER NOTICE

No.RBD(I) TB-NIT.2007/08/505.— Sealed tenders in prescribed form affixing non-refundable Court Fee Stamp of requisite amount (as notified in the Court Fee Act 1996) and eventually to be drawn F-2 forms are hereby invited from Registered Contractors of Irrigation of the various capacities for the following works (group wise) and shall be received up to 1 P.M. on the 21st September, 2007 and will be opened on the same date and time in presence of the intending contractors or their authorized agents if they so desire.

Detailed tender papers will be sold in the office of the undersigned during the working days of office hours from 14th September, 2007 to 20th September, 2007 and upto 3 P. M. on the last date.

The date to be quoted is at par as above the M.P.W.D., S.O.R. for R & B and E&D works for the year 2004-05 under the Eastern Shillong Circle :-

Sl. No.	Name of Works	Estimated Amount	Time of Completion
1.	2	3.	4.
1.	Construction of Umshru F.I.P. (in groups)	Rs.1,31,84,190.00/-(Rupees one crore thirty one lakhs eighty four thousand one hundred ninety) only	(i) Head works weir for 6 (six months).
2.	Construction of Umroi F.I.P. (in groups)	Rs.1,16,05,600.00/-(Rupees one crore sixteen lakhs five thousand six hundred) only	(ii) Others structure 3 (three months) each group from the date of issuing Final Work Orders.

Notes :-

1. Non-Tribal contractors are required to produce valid Trading License before purchase of tender papers.
2. Attested copy of photograph of the contractors is to be attached with the tender, otherwise the tender will be considered invalid.
3. In case the last date happened to be a holiday the tender will be opened on the next working day at the same time and hour.
4. Payment :- Subject to the availability of fund.
5. The undersigned has the right to further split the groups of works to a certain limit without assigning any reason thereof.

W. M. M. LAW,
Executive Engineer (Irrigation),
Ri Bhoi Irrigation Division,
Nongpoh.

Shillong, the 28th August, 2007

SHORT TENDER NOTICE

No.SW/WW/4/98/Pt.II/5720 -45 .— Applications as notified in Part IX of the Gazetted of Meghalaya are invited from Female Candidates who are Orphans/single parent 'girl' /destitute girls and women permanently residing in Meghalaya for undergoing vocational Training course for "Computer Operator, and Programming Assistant".

During the Training period, a monthly stipend of Rs.500/- (Rupees five hundred) only will be given per trainee. Tuition Fees etc. will be borne by the Department.

Eligibility for the course is 10+2 course passed or its equivalent examination in any stream with minimum 40% marks secured.

Other details for eligibility may be seen in the office of the undersigned, Jt. Director Social Welfare Tura/ District Social Welfare Officer/District Programme Officer (ICDS Cell) of the concerned District during office hours.

The last date for submission of applications is 16th September, 2007. Personal interview will be held on 21st September, 2007 in the office of the undersigned and the result will be displayed in the Notice Board on the following day. Incomplete applications are liable to be rejected.

Criteria for eligibility for the Vocational Training Course for Computer operator and Pramming Assistant.

1. Applicant (s) - Female (s) who is residing permanently in Meghalaya and who is Orghan/ Single Parent Girls / Destitute girls and women to be supported by Certificate(s) issued by the Competent authority/Local Headman/ Voluntary organisation.
2. Age - Must not have attain the age of 25 years or above on 1st January, 2007. (To be supported by School Certificate etc. of the recognised Institution and Scheduled Castes/Scheduled Tribes Certificates issued by the competent authority.
3. Educatiion Qualification - 10 + 2 or P.U. passed (in any stream) with 40% minimum (To be supported by Mark sheet and certificates of the recognised Institution).
4. Annual Income - Her income including that of her parent / guardian should not exceed Rs.12,000/- per annum. (To be support by certificate issued by the MLA MDC/Deputy Commissioner concerned.
5. Selected candidate - Must pass the entrance test to be conducted by the computer Institute Education, Shillong.

C. C. MIHSIL,
Director of Social Welfare,
Meghalaya, Shillong.

Nongstoin, the 8th August, 2007

No.NCS(TEA)8/2007/1-A/135-140.—Under Section of 11 of the Meghalaya Cooperative Societies Act (Assam Act-I of 1950) as adopted by the Meghalaya). A Cooperative Society under the Name Mawshynrut Tea Grower Cooperative Society Ltd., in the District of the West Khasi Hills has been this day registered in my Office and numbered as No. NONG. 8, 2007 this day the 8th August of the year two thousand and seven Anno Domini.

H. LYNGKHOI,

Assistant Registrar of Cooperative Societies,
West Khasi Hills District, Nongstoin.

Nongstoin, the 8th August, 2007

No.NCS(MULT)9/2007/A/141-145.—Under Section of 11 of (2) of the Meghalaya Cooperative Societies Act (Assam Act-I of 1950) as adopted by the Meghalaya). A Cooperative Society under the Name Lummysiang Multipurpose Cooperative Society Ltd., in the District of the West Khasi Hills has been this day registered in my Office and numbered as No. NONG. 9, 2007 this day the 8th August of the year two thousand and seven Anno Domini.

H. LYNGKHOI,

Assistant Registrar of Cooperative Societies,
West Khasi Hills District, Nongstoin.

Shillong, the 21st August, 2007

SHORT NOTICE INVITING TENDER

No.PW/TB/BR/75/2006/Pt/2.—1. Sealed tenders subsequently to be drawn up in M.P.W.D. F-2 form of Tender agreement duly affixed with a non-refundable Court Fee Stamp as indicated below, are hereby invited by the undersigned on behalf of the Governor of Meghalaya, from the Registered Class-I P.W.D. Contractors of Meghalaya State having requisite qualifications for the under mentioned work and will be received in the office of the Chief Engineer, P.W.D. (Roads), Meghalaya, Shillong (Room No. 311) upto 2:00 P.M. of 21st September, 2007 and will be opened on the same date at 2:15 P.M. in presence of the tenderers or their authorised representatives who so desire to attend. If the last date happens to be a holiday, the next working day will be considered as the date of receiving and opening of the tenders.

Detailed tender papers may be obtained from the bridge Design Branch (Room No.311) of this office from 10th September, 2007 upto 19th September, 2007 on payment of a non-refundable Fee of Rs.500/- (Rupees Five Hundred) only, per set in cash payable to the Cashier of this office during office hours on any working days, from 11:00 A.M. upto 3:00 P.M. Intending tenderers desiring to get the detailed tender papers by post shall have to send the cost of tender papers alongwith extra Rs.100.00 (Rupees One Hundred) only (non-refundable), in the form of Demand Draft/ Postal Order, duly pledged in favour of Chief Engineer, P.W.D. (Roads), Meghalaya, Shillong payable at Shillong. However, the Undersigned is not responsible for the postal delayed, if any.

- 2. Name of work :-** Construction of Mihmyntdu village road connecting P.W.D. Road from Lum Chyrmang at Mihmyntdo to Lad Nartiang to meet the road to Jail Complex via Hali Chynna 1.92 Km (Job No. PW/WR/2004-2005/158) - Construction of Br. No.1/1 thereof.

Span	Nature of work	Approximated value of work	Court fee Stamp
1x10.37m	Construction of RCC slab bridge	Rs.28,00,000.00 (Rupees Twenty Eight Lakhs) only	Rs.1000.00

- 3. Time of Completion :-** 24 (twenty four) months from the date of issue of Final Work Order.
- 4. Rates :-** Rates are to be quoted on flat percentage basis i.e. AT PAR/ABOVE the Schedule of Rate for Roads, Bridges and E&D Works under Jowai Circle, P.W.D. (Roads), Meghalaya for the 2004-2005.
- 5. Earnest Money :-** 2% (two) percent or 1 % (one) percent as applicable (Registered Class-I Contractor of P.W.D. (Roads), Meghalaya need not furnish Earnest Money.
6. (i) Non-Tribal contractors of Meghalaya will have to produce Valid Trading Licence from the Jaintia Hills Autonomous District Council, otherwise their tenders will not be considered as valid.
- (ii) If the date of opening of tenders happens to be a holiday the tenders will be opened on the subsequent working day at the same hour.
- (iii) All rights are reserved to reject any or all tenders by the Undersigned without assigning any reason thereof.
- (iv) Only reputed and experienced Registered Class-I Contractors of Meghalaya P.W.D. (Roads) are eligible for tendering for this work.
- (v) Intending tenderers must have requisite key personnel and machineries to be deployed in the work.

A. K. SINGH,
Chief Engineer, (NH), P.W.D. (Roads),
Meghalaya, Shillong.

Shillong, the 29th August, 2007

SHORT NOTICE INVITING TENDER

No.AID(J)TN/135/2007-08/27/1722.— Sealed tenders affixing non-refundable Court Fee Stamp of Rs.300/- (Rupees three hundred) only and eventually to be drawn in F-2 Tender Agreement are invited by the undersigned from Irrigation registered Contractors of Meghalaya Shillong and to be received up to 2 P.M. on the 17th September, 2007 and will be opened on the same date and hour in present of the contractor or their authorized agents if they so desire to be present.

Detailed tender paper and other particular may be obtained from the office of the undersigned on payment of Rs. 500/- (Rupees Five Hundred) only on any working day during office hour from 29th August, 2007 to 14th September, 2007.

Sl. No.	Nature of work	Schedule of Rate for	Estimated Amount	Time of completion
1.	Construction of C.C Weir at Amksi F.I.P.	R & B and E&D work under Jowai Circle for the year 2004-05.	Rs.10,94,160 /-	90 days

NOTE :-

1. Non-Tribal contractor are required to produce Valid Trading Licence from the concerning District Council before purchase of Tender paper.
2. Attested copy of the latest photograph of the contractor are to be attached with the tender paper, otherwise the tender will not be considered as valid.
3. In case last date happen to be a holiday the tender will be opened on the next working day at the same time and hour.
4. Rate to be quoted at par or above the M.P.W.D. S.O. R. for R&B and R&D work for the year 2004-2005 under Jowai Circle for the year 2004-2005.
5. Forest Royalty will be recovered as per the current prevailing rate of the Forest Department.
6. Meghalaya Value Added Tax on work contract of current prevailing rate levied by the Govt. from time to time will be deducted from the Bill.

K. D. PHAWA,
Executive Engineer (Irrigation),
Jaintia Hills division, Jowai.

Shillong, the 24th August, 2007

SHORT NOTICE INVITING TENDER

No.SERC/SHG/TB-90/2007-2008/244-A.— Sealed Quotations affixing non-refundable Court Fees Stamp worth Rs.400/- (Rupees four hundred) only, purchased in Meghalaya or I.P.O. for the same amount duly pledged in favour of the undersigned eventually drawn in P.W.D. F-2 Form tender are hereby invited from the reputed transporters having passed experience in the following item of work and will be received in the office of the Superintending Engineer (PHE), Rural Circle, Shillong up to 4:00 P.M. of 18th September, 2007.

Quotations received will be opened on the same date and hour in presece of quotationers or their authorized agents who like to be present.

Sl. No.	Item of work	Destination	
		From	To
1.	Carriage of 273.10 mm Outer Diameter (7mm thick) MS ERW pipes conforming to IS 3589 for Nongpoh W.S.S.	The Manufacturer's Stock Yard Ex-RSP, Rourkella	PHE Divisional Store at Nongpoh,Ri-Bhoi District

Detailed particulars and, terms and conditions can be had from the office of the undersigned on any working days during office hours from 31st August, 2007 to 17th September, 2007 on receipt of written request and on payment of Rs.500/- (Rupees Five Hundred)) only, in cash. Earnest Money of Rs. 2,00,000 (Rupees Two Lakhs) only shall have to be deposited with the Quotation.

M. ALLYA,
Superintending Engineer (PHE),
Rural Circle, Shillong.

Shillong, the 27th August, 2007.

No.MUDA/MON/18/2007-08/37.—

SUBJECT INVITING “EXPRESSION OF INTEREST” FOR PROVISION OF PROJECT MANAGEMENT CONSULTANCY SERVICES INCLUDING PREPARATION OF DPRS UNDER JNNURM FOR SHILLONG.

Reference : (i) No.MUDA / MON / 18/ 2007-08 / 3 Dated Shillong, the 30th July, 2007.

(ii) No.MUDA / MON / 18/ 2007-08 / 10 Dated Shillong, the 14th August, 2007.

In continuation to the reference above, the same is hereby further extended and the tenders will be received in the Office of the Meghalaya Urban Development Authority, Shillong - 793001 upto 14:00 hours (IST) of the 10th September, 2007. Other terms and Conditions remain.

Secretary
Meghalaya Urban Development,
Authority, Shillong.